

# Index

---

- A**
- abrasive wear. *see* wear
  - achieved availability 265
  - active control of vehicle dynamics 89, 109
  - alert limit 196, 238, 239
  - allowable stress design 201, 202
  - Alpha disaster 223, 224
  - aluminothermic weld 154
  - asset management 201, 223–229, 338, 354, 393, 403
  - asset management policy 227, 229
  - asset management system 227
  - attrition 134, 138, 139
  - availability 31, 180, 183, 213, 214, 217, 218, 223, 230, 232–236, 243, 255, 256, 260–266, 273, 274, 291, 296, 299, 301, 302, 303, 304, 306, 338, 347, 349, 381, 384, 386, 387, 388, 389, 393, 395, 396, 398, 405
  - axle load 46, 55, 56, 72, 89, 92, 115, 118, 120, 122, 123, 131, 144, 183, 213, 271, 381
- B**
- ballast 42, 43, 49–54, 56–58, 65, 66, 68–70, 73–76, 79, 82–87, 92, 95, 100, 103, 111, 115, 116, 119, 120, 122, 131–145, 147, 148, 150, 152, 157, 158, 161, 162, 164, 165, 172, 173, 212, 214, 271, 361, 365, 375, 387, 388
  - ballast cleaning 206, 207, 246, 247, 375
  - ballast cleaning cost 375
  - ballast deterioration 213
  - ballast pockets 135, 139, 162
  - ballast renewal 375
  - ballast renewal cost 375
  - ballast undercutting 145
  - baseplate 86
  - Beam on Elastic Foundation 65, 71, 79
  - beam theory 71
  - benchmarking 32, 212, 337, 359, 367, 368
  - bending moment 71, 72
  - bending stiffness 80, 86, 105
  - bending stresses 86, 119, 120, 150
  - BOEF method 73
  - BOEF model 73
  - bogie 40, 59–62, 69, 70, 92, 108, 109, 111, 129, 385
  - bolster 61
  - bowl 61
  - braking forces 119, 123
  - bridge 65, 77, 78, 82, 83, 85, 87, 103, 388, 390
  - buckling 123, 153
- C**
- cant 130, 214
  - capability 274, 283, 393
  - capacity 179, 180, 219, 388
  - capacity management 183
  - car body 60–62, 69, 70, 85
  - car-body 59
  - catch drains 158
  - cause - consequence analysis 272, 273
  - centre plate 61
  - centrifugal forces 119
  - cess drains 158, 173
  - classical beam theory 71
  - coefficient of friction 96, 108, 111, 129
  - comfort 215, 217
  - consequence 74, 110, 116, 255, 259, 266, 269, 273
  - consequence analysis 268
  - constant k 79
  - contact force 41, 78, 82, 83, 89, 91, 93, 104, 108, 123, 194, 402
  - contact mechanics 107
  - contact pressure 92
  - contact profiles 50, 51

contact stress 91, 123  
 contact surface 92, 127  
 continuous welded rails 361  
 continuously supported models 70, 71  
 contract 31, 32, 260, 301, 315, 325,  
 329, 330, 331–339, 341, 343, 347,  
 351, 396  
 contractor 230, 299, 301–303, 315,  
 319, 322, 323, 325, 330–332, 334,  
 336–339, 341, 345, 351, 352, 354,  
 395  
 corrective maintenance 230, 235, 265,  
 347, 373, 376  
 corrective maintenance 117, 231, 233,  
 393  
 corrugation 46, 47, 97, 100, 115, 118,  
 123, 128, 129, 150, 213, 214, 215  
 371, 400, 403  
 cost effective track 218  
 cost shapers 359  
 cost structure 307, 317  
 cost-effectiveness 260, 282, 283  
 cost-effectiveness analysis 282, 283  
 cost-plus (cost reimbursement) contract  
 331  
 crack 124, 125, 128, 129, 368  
 cracking 42, 85, 111, 119, 123, 129,  
 131  
 creep forces 108, 152, 153  
 critical success factors 255, 259, 293,  
 343  
 crossing 41, 102, 103, 105, 106, 152,  
 153, 388  
 culvert 134, 138, 160, 161, 169, 170,  
 171, 245, 248  
 curvature 91, 92, 122, 130, 214, 271

## D

damper 61, 65, 66, 71, 75, 76  
 decision making 255, 257, 280, 287,  
 299, 315  
 defects 149, 150, 215, 403  
 deflection 53, 56, 66, 70, 71, 72, 76,  
 78, 79, 80, 84, 86, 397  
 deformation 82, 85, 91, 93, 123, 124,  
 127, 135, 136, 139, 144, 145, 147, 248  
 degradation 42, 46, 66, 82, 83, 100,  
 114–118, 120, 121, 123, 124, 133–135,  
 144, 176, 183, 185, 191, 233, 291, 308,  
 385, 389, 393, 396, 399, 400  
 depreciation 307, 308

derailment 44, 110, 120, 129, 212–214,  
 238, 249, 261, 291, 390  
 design life 239  
 deterioration 39, 43, 79, 82, 83, 85, 87,  
 114–117, 121, 122, 131, 133, 135,  
 175, 182, 183, 186, 187, 191, 210,  
 211, 213, 218, 221, 234, 239, 240,  
 242, 244, 246, 291, 370, 371, 373,  
 387, 393, 399, 400, 402  
 deterioration process 115, 243  
 diamond 102, 103, 105, 106, 152, 153  
 Diolkos 5, 6, 21  
 discontinuities 40  
 discount rate 257, 284, 285, 286, 287,  
 306  
 discretely supported models 70, 74  
 distance grain 131, 132  
 downtime 261, 264, 266, 299, 301,  
 302, 304, 347, 376, 387  
 drainage 57, 58, 85, 115, 122, 134,  
 135, 137, 138, 144, 145, 152, 157,  
 158, 160–162, 164–168, 172, 174,  
 361, 362, 388  
 drains. *see* drainage  
 driving forces 117  
 dynamic behaviour 65, 66, 70, 84, 92,  
 402  
 dynamic effects 73, 92  
 dynamic forces 39, 40, 43, 46, 47, 77,  
 85, 86, 95, 105, 115, 117, 118, 120,  
 122, 149, 150  
 dynamic interaction 92  
 dynamic loads 55, 57, 92, 95, 116, 129,  
 183  
 dynamic ride loads 40  
 dynamic system 65, 77  
 Dynamic Wheel / Rail forces 41

## E

economic analysis 279  
 economic evaluation 279, 284, 289  
 economic life 238  
 economy 218  
 elastic behaviour 91  
 Electric Flash-butt Welds 154  
 embankment 76, 82, 83, 103, 117,  
 137–140, 157, 158, 160–163,  
 167–169, 171, 388  
 environment 24, 29, 37, 55, 97, 116,  
 144, 191, 217, 233, 235, 259, 262,  
 265, 268, 271, 306, 396, 399

- ERTMS 386, 389  
 Euler – Bernoulli beam 65, 71  
 excitation 85, 96, 97, 101, 149, 402  
 excitation frequencies 96  
 expansion joints 105, 248  
 external agent 319, 325  
 extraordinary event 249
- F**
- failure 104, 110, 121, 129, 134, 135, 136, 137, 144, 151, 153, 157, 161, 167–169, 189, 202, 209, 211, 212, 222, 232, 233, 256, 261–264, 267, 270–276, 291, 300, 301, 322, 333, 335, 347, 373, 385, 389, 396  
 Failure Block Diagram Analysis 272, 273  
 failure categories 266  
 Failure Mode and Effects Analysis 272  
 Failure Mode, Effects and Criticality Analysis 272  
 failure prevention 222  
 fastener 54, 66, 271  
 fastener renewal 376  
 fastener renewal cost 376  
 fastening 53, 55, 56, 65, 66, 86, 92, 127, 131, 365  
 fastening system 66  
 fatigue 43, 82, 87, 100, 104, 111, 115, 120, 121, 123, 126, 127, 129, 151–153, 212, 400, 402  
 fatigue 119, 155, 400  
 fault development 189  
 fault size 189  
 Fault Tree Analysis 272, 300  
 faulty components 116, 191  
 field face 51, 90  
 field face 90  
 filling grain 131, 132  
 fine grain 135  
 fishplated joints 105  
 fixed-price contracts 330  
 flats 46, 89, 103, 104, 118, 119, 149, 150  
 FMEA 272  
 FMECA 272, 300, 301, 303  
 force limits 43  
 forces 39, 40–44, 46, 47, 50, 54, 55, 59, 69, 82, 83, 85, 86, 92, 95, 99, 100, 102, 105, 108, 109, 117–122, 124, 127, 130, 144, 149, 150, 153, 373  
 formation 53, 58, 108, 129, 135, 138–141, 144, 145, 157, 158, 161, 162, 164, 269, 361, 401  
 friction 89, 95, 96, 107, 108, 110, 111, 129, 132, 141, 152, 271  
 friction management 129, 400  
 friction modifiers 89, 107, 108  
 frog 102, 103, 105, 106  
 FTA 272, 300  
 functional analysis 299  
 functions of the track 49
- G**
- gauge 90, 129, 214  
 gauge face 51, 90, 122, 129, 130  
 geogrids 145  
 George Stephenson 15, 22  
 global track stiffness 82  
 grinding 89, 111, 112, 120, 122, 128–131, 206, 212, 213, 214, 246, 247, 271, 281, 362, 372, 374, 388, 400, 401, 402  
 GSM-R 389
- H**
- Hatfield 110, 353  
 hazard 260, 269, 270, 273, 394  
 hazard rate 261  
 hazard severity level 268  
 Hazardous Operability Analysis 272  
 HAZOP 272, 273  
 head checks 128, 213  
 Hertz 91, 93  
 Hertzian Contact Theory 89, 90  
 Hertzian spring 93  
 hollow 115, 141–144, 271  
 horse drawn trains 11  
 horse-drawn railway 11, 12  
 hot mix asphalt underlay 145
- I**
- immediate action limit 238, 240, 241  
 impact forces 39, 41–43, 46, 47, 86, 103, 104, 118, 120, 149  
 impact loads 89, 96, 97, 103  
 incentive contracts 331  
 inelastic behaviour 147  
 infrastructure management 182, 183, 218, 351, 352, 337, 359, 364

infrastructure manager 24, 28-32,  
 130, 178, 181, 189, 197, 209, 210,  
 212, 213, 219, 227, 228, 234, 235,  
 238-243, 256, 259, 260, 262, 264,  
 267-270, 287, 299, 301, 302, 308,  
 319-323, 325, 331, 333, 334,  
 336-338, 343, 345, 349, 369,  
 371, 376, 395  
 infrastructure monitoring 210  
 inherent availability 265  
 inhomogenities 115, 140, 141  
 initial construction costs 300  
 initial quality 175, 176, 186, 187, 205,  
 209, 307, 359, 361  
 inputs 326  
 inspections 220, 341, 347, 369, 371  
 insulated joints 82  
 interaction 37, 65, 66, 69, 82, 83, 85,  
 92, 107, 120, 122, 123, 152, 192,  
 399, 400, 401  
 intermediate life 116  
 intervention limit 196, 238, 239, 240  
 irregularities 37, 39, 40, 60, 61, 62, 83,  
 84, 89, 94, 95, 96-101, 103, 105, 115,  
 127, 140, 144, 149, 202  
 isolated defects 196  
 isolated irregularities. *see* irregularities

**J**

James Watt 13

**K**

Key Performance Indicators 364

**L**

lateral force limits 43  
 lateral loads 39  
 LCC analysis 244, 257, 260, 284, 291,  
 293, 299  
 LCC calculation 281, 284  
 LCC process 291, 292  
 LCC tools 236  
 life cycle 87, 183, 226, 227, 257, 262,  
 267, 268, 275, 276, 279, 287, 288,  
 291, 292, 305, 306, 359, 360, 394  
 life cycle costing 279  
 lime-cement pillars 145  
 long wavelength 39, 89, 97, 98  
 long wavelength irregularities 37, 98, 101

long waves 100  
 longitudinal forces 66, 121, 123  
 longitudinal loads 39  
 lubrication 89, 95, 111, 122, 129, 130,  
 212, 214, 248, 271, 374, 375, 400, 401

**M**

machine-based manufacturing 219  
 maintainability 183, 255, 257, 260,  
 261, 266, 394, 396, 404, 405  
 maintenance 5, 17, 29, 30-32, 84, 85,  
 92, 110-112, 117, 120, 125, 129, 131,  
 138, 152, 153, 157, 160, 161, 176,  
 180-199, 201, 205, 209, 210, 213-  
 224, 230-249, 255-257, 259-262,  
 264-266, 271, 274, 276, 280-283,  
 291, 293, 296, 297, 300-303, 307-  
 311, 299, 315, 319-326, 337-341,  
 345, 347, 349, 351-355, 337, 359,  
 361, 362, 365, 369-373, 376, 379,  
 381-390, 393-400, 404  
 maintenance actions 180, 201, 205, 210,  
 244, 247, 257, 260, 281, 291, 376  
 maintenance activities 244, 271, 315, 345  
 maintenance costs 240, 243, 338, 373  
 maintenance cycles 205, 240  
 maintenance plan 230, 243  
 maintenance planning 201, 230, 395  
 maintenance policy 239, 240, 241, 242  
 maintenance process 240, 242, 351,  
 352  
 maintenance strategy 30, 210, 219,  
 223, 231, 236, 237, 281, 301  
 maintenance strategy 210, 230, 395  
 maintenance types 223  
 manual-labour-based economy 219  
 mass 40, 42, 43, 46, 61, 65, 66, 68, 69,  
 71, 73, 74, 75, 77, 78, 82, 85, 92,  
 102, 105, 118, 119, 127, 194, 201,  
 405  
 mass production 221  
 Mean Active Maintenance Time 261,  
 265  
 Mean Down Time 261, 265, 266  
 Mean Maintenance Hour 261  
 Mean Time Between Failure 261, 262,  
 265  
 Mean Time Between Maintenance 261,  
 265  
 Mean Time to Repair 261, 265  
 mechanical characteristics 65, 129

- mechatronics 107, 109
  - mitre drains 158
  - models of track 70
  - MODTRAIN project 387
  - modulus of elasticity 80, 91, 192, 193
  - moisture 57, 134, 135, 138, 140
  - monitoring system 209
  - moving load 71, 73
  - mud pumping 136, 138, 139
  - multi-annual contracts 31
- N**
- net present value 284, 292
  - noise 37, 87, 89, 97-99, 104, 108, 111, 120, 123, 128-130, 217, 370, 383
  - NPV 284-287, 292
- O**
- offshoot drains 159
  - old age period 117
  - operational availability 265, 274, 283
  - operational characteristics 245
  - operational hindrances 307-309, 359
  - operational reliability 274, 283, 395
  - optimization 218, 244, 239, 255, 361
  - optimization process 239, 255
  - organizational strategic plan 224, 395
  - organizational structure 226
  - oscillation 37, 89, 97, 98, 103
  - oscillatory systems 92
  - outcomes 326, 338
  - out-of-round wheel 101
  - outputs 326
  - outsourcing 299, 315, 317, 319, 320, 355, 404
- P**
- P1 Forces 41, 43
  - P2 forces 41-43
  - PAS 55 224, 226, 227, 229, 403
  - performance 29, 30, 32, 35, 66, 80, 87, 95, 129, 134, 153, 162, 172, 189, 199, 205, 209-214, 218, 224-231, 233, 235, 238-242, 251, 256, 262, 267, 277, 279, 288, 300-306, 315, 317, 319, 321, 325, 329, 330, 331, 334, 337-341, 352, 353, 355, 359, 363-368, 373, 386, 389, 393, 394, 396-401, 403, 405
  - performance based maintenance
    - contracting 337, 338
  - performance Indicators 359, 363-365, 399, 405
  - performance-based contract 335
  - physical life 239
  - piers 145
  - pinned – pinned frequency 73, 75, 76
  - pin-pin vibration 65, 74
  - plain track 77, 85
  - Plan-Do-Check-Act 229
  - planning process 230, 395
  - plastic flow 123
  - pollution 141, 144
  - possession time. *see* track possession time
  - PPIMS 211, 212
  - predetermined intervals 233, 396
  - predictive maintenance 231, 234
  - prescribed criteria 233, 396
  - pressure distribution 52
  - preventive maintenance 117, 231, 233, 234, 291, 347, 376, 396
  - pricing methods 329, 330, 332
  - primary suspension 59, 60, 61, 69, 70, 104, 108, 109
  - probability of occurrence 192, 193, 255, 259, 266
  - processes 37, 115, 116, 122, 209, 211, 212, 214, 226, 272, 287, 300, 329, 335, 355, 364, 365, 368
  - Publicly Available Specification number 55 224
  - pumping problems 136
- Q**
- quality 30, 32, 176, 178, 179, 185, 188, 189, 259, 340, 359-361, 399, 402-404
  - quasi-static loads 40
- R**
- rail 65, 105, 106
  - rail break 125
  - rail condition 122
  - rail corrugation. *see* corrugation
  - rail creep 123
  - rail damage mechanism 115, 124
  - rail defects 122, 123
  - rail deflection 79, *see* deflection
  - rail degradation. *see* degradation

- rail grinding. *see* grinding, *see* grinding  
 rail grinding cost 374  
 rail imperfections 46, 47, 118  
 rail joints 53, 89, 103, 105  
 rail lubrication cost 374  
 rail pad 55, 66, 73, 75, 76, 81, 86  
 rail pads 56, 66  
 rail renewal cost 375  
 rail running surface 39, 149  
 Rail Support Modulus 80  
 rail welds 154  
 railhead 100, 154  
 rails 2, 7-11, 14, 40-43, 49, 52-60, 65,  
     74, 75, 79, 83, 92, 99, 100, 105, 107,  
     111, 119-125, 129, 130, 140, 147,  
     154, 197, 207, 212, 247, 361, 370-  
     372, 385, 401  
 railway system 65  
 RAM programme 260, 396  
 RAMS 183, 236, 244, 239, 255, 256,  
     257, 259, 260, 262, 270-273, 275,  
     281, 291-293, 297, 299, 396, 399,  
     400, 404, 405  
 RAMS activities 276  
 RAMS analysis 236, 255-257, 260,  
     272, 277, 291, 404  
 RAMS elements 262  
 RAMS process 276  
 RAMS requirements 271, 276, 299  
 Rayleigh – Timoshenko beam 65, 71  
 RCF 107, 121, 126, 127, 129, 130, 154,  
     212, 213  
 reliability 183, 223, 255, 256, 260-264,  
     273, 280, 294, 299, 302, 303, 386,  
     396, 403-405  
 renewal 32, 117, 151, 180-183, 185,  
     206, 207, 214, 219, 226, 230, 231,  
     240, 242, 243, 246, 247, 271, 291,  
     349, 351, 337, 361, 365, 369, 371,  
     373, 375, 376, 388, 396  
 resonance 59, 74-76, 92, 97, 100, 400  
 resource management 183  
 Richard Trevithick 13, 14, 220  
 riding quality 120, 311  
 rigid beams 68  
 risk 21, 59, 123, 129, 153, 189, 212,  
     213, 214, 224, 225, 226, 227, 238,  
     255, 257, 259, 260, 266, 267, 269,  
     270, 273, 284, 292, 300, 301, 320,  
     330, 332-334, 338, 343, 389, 390,  
     396  
 risk analysis 255, 267, 282, 343  
 risk assessment 343  
 risk evaluation 269  
 risk management 224, 226, 343  
 rolling contact fatigue 121, 126, 128,  
     401  
 run to failure 222  
 Run to Failure Maintenance 231, 232  
 running behaviour 61, 107  
 running surface. *see* rail running surface
- S**
- S&C. *see* switches and crossings  
 safety 112, 183, 188, 189, 202, 217,  
     249, 255, 257, 260, 261, 266, 269,  
     301, 396, 401, 402, 405  
 safety analysis 262, 301  
 secondary suspension 61  
 segmentation. *see* track segmentation  
 service contract 347  
 service life 131, 185, 201, 205-207,  
     237-240, 242, 260, 307-309, 359,  
     361, 362, 371  
 settlement 42, 82, 83, 85-87, 98, 100,  
     103, 115, 122, 133, 135, 138-141,  
     147, 150, 161  
 shear failure 134, 138, 139  
 shelf life 239  
 short piling 145  
 short wavelength 39, 89, 97, 99  
 short waves 100  
 side frame 61  
 skeletal grain 131, 132  
 sleeper renewal 376  
 sleeper renewal cost 376  
 sleeper resonances 100, 129  
 sleeper spacing 102  
 sleepers 10, 40, 42, 43, 49, 52, 55-57,  
     65, 66, 68, 70, 72-76, 79, 82, 84-86,  
     95, 100, 102, 105, 115, 119, 120,  
     122, 123, 131, 139, 141, 142, 147,  
     148, 151, 192, 215, 245, 247, 248,  
     370, 371, 372, 400, 402, 405  
 soft pads 129  
 soft substructure 152  
 soft track 115, 135-137, 160-162, 172  
 speed restrictions 32, 153, 182, 189,  
     195, 217, 242, 309, 376  
 spoon drains 159  
 spring 57, 61, 65, 66, 71, 75, 76, 79,  
     80, 89, 93, 140, 397  
 squats 127, 213

stakeholders 24, 27, 28, 32, 227, 255, 334  
 standard deviation 187, 193, 195, 196, 197, 215  
 static loads 40  
 static wheel load 41, 43, 44, 193, 202  
 stiffness 53, 56, 59, 65, 66, 68, 69, 71, 72, 74, 77, 79, 80-89, 92, 93, 101, 102, 103, 105, 106, 108, 117, 134, 144, 149, 167, 192, 193, 194, 271, 385, 397, 401, 403, 405  
 stiffness ratio 77, 85  
 strategic objectives 226  
 stress free temperature 153, 154  
 structures 87, 151, 370  
 sub-ballast 53, 58, 65, 68, 70, 74, 122, 132, 136, 144, 147  
 sub-ballast 49, 57, 139  
 subgrade 42, 49, 51, 53, 57, 58, 65, 69, 70, 74, 76, 79, 83-85, 92, 103, 115, 119, 120, 122, 132, 134-141, 144, 145, 147, 148, 157, 158, 161, 162, 164, 245, 271, 301, 361, 403  
 substance 179  
 substitution 117  
 substructure 53, 69, 82-84, 103, 115-117, 144, 151, 214, 217, 361, 403  
 subsurface drainage. *see* drainage  
 superelevation 40, 41, 51, 122  
 superstructure 52, 56, 69, 83, 84, 103, 195, 247, 307, 359, 360, 361  
 surface drainage. *see* drainage  
 surface irregularities 41, 43, 134  
 suspension 40, 46, 59, 61, 62, 69, 70, 85, 107, 109, 118, 119  
 switch 9, 102, 103, 105, 151, 153, 213, 214, 359, 372, 388  
 switches and crossings 151, 213, 248, 370  
 system 13, 17, 32, 37, 51-53, 55-59, 65, 66, 69-71, 75-78, 89, 92-97, 100, 107, 109, 121, 123, 127, 135, 162, 179, 181, 207, 211, 213, 224-229, 231, 232, 234, 238, 244, 247, 255-257, 259-265, 267-277, 281, 296, 300, 301, 315, 338, 343, 353, 337, 359, 361, 369-373, 379, 383-386, 388-390, 393, 395, 396, 397, 400, 401, 403  
 system effectiveness 282  
 system life cycle 275, 276  
 system-effectiveness 273, 274, 282

## T

tamping 120, 141, 144, 145, 147, 153, 197, 206, 214, 246, 271, 372, 374, 388  
 tangential forces 43, 111, 123, 129  
 technological life 239  
 tension clamp 67, 68  
 thermite welds 154  
 top drains 159  
 track 45-47, 52, 65, 69, 70, 76, 79, 80-87, 94, 95, 98, 101, 103, 115-121, 136, 137, 147, 150-157, 165-167, 175, 176, 179, 186, 187, 195, 196, 203, 209, 213, 214, 219, 236, 238, 242-245, 248, 271, 291, 301, 338, 365, 373, 387, 389, 397-405  
 track bed 81, 87  
 track behaviour 35, 65, 120, 185, 188, 205, 209, 245  
 track characteristics 46  
 track components 49, 52, 53, 65, 71, 73, 83-86, 104, 116, 119, 131, 134, 186, 255, 271, 308, 362, 372  
 track condition 32, 87, 117, 194, 201, 209, 210, 211, 214, 293, 371  
 track construction 245, 307  
 track degradation 46, 83, 114  
 track devices 248  
 track downtime cost 376  
 track elasticity 70  
 track fault 95, 189  
 track forces 46, 59, 61, 402  
 track gauge 248  
 track geometry 214, 238, 248, 403  
 track geometry irregularities 39, 131  
 track inspection 374  
 track inspection cost 374  
 track maintenance 29, 57, 84, 120, 201, 242, 244, 245, 256, 291, 293, 294, 296, 307-310, 321, 322, 326, 337, 338, 341, 345, 381, 383  
 track model 72, 75, 76  
 track modulus 72, 79, 80, 86, 401  
 track performance. *see* performance  
 track possession time 291, 376  
 track quality 35, 95, 175, 176, 179, 185-187, 191, 192, 195, 205, 236, 242, 260, 326, 361, 366, 385  
 track quality behaviour 185, 191  
 track quality indices 244  
 track segment 245

track segmentation 201, 245, 246  
 track squeeze 134, 136  
 track structure 39, 40, 53, 58, 76, 79,  
 97, 101, 117, 136, 157, 161, 162, 202  
 track tamping cost 374  
 track vibration 73, 75, 400  
 track vibrations 97, 99  
 transition mechanics 85  
 transition points 85  
 transition zone 77, 83-86  
 trial and error 201  
 tribology 89, 95, 106, 107  
 twist 195, 196, 214

## U

under sleeper pads 86  
 unsprung mass 61  
 unsprung masses 42, 43, 61, 405  
 unstable ground 144, 145, 151  
 unsupported sleeper 82  
 upgrading 231, 341  
 useful life 239

## V

values 81, 261, 288, 327  
 vehicle 40, 46, 69, 70, 77, 92, 108, 118,  
 150, 213, 215, 271, 387, 400, 401, 402  
 vehicle characteristics 46, 121, 291  
 vertical deflection. *see* deflection,  
*see* deflection  
 vertical force limits 43  
 vertical loads 39  
 vertical track stiffness 84  
 vibration 55, 66, 73-76, 86, 87, 97, 98,  
 99, 120, 139, 217  
 vibrational forces 119  
 vibrations 37, 56, 59, 60, 69, 86, 89, 97,  
 98, 102, 104, 120, 123, 144, 373, 400  
 voids 85, 115, 141, 147, 213

## W

wagonway 5, 9  
 water 13, 57, 84, 116, 124, 135-137,  
 139, 140, 144, 145, 157-162,  
 164-174, 191, 220, 353, 361, 405  
 water penetration 145  
 wavelength 100, 195, 196  
 wear 11, 40, 61, 82, 89, 95, 96,  
 106-109, 111, 115, 116, 119,  
 120-122, 128-130, 147, 149,  
 151-153, 191, 194, 213, 214,  
 221, 239, 271, 301, 362, 365,  
 385, 400, 401, 403  
 weld quality 152-154  
 wheel 41, 44, 50-52, 62, 89, 93, 99,  
 104, 106, 107, 118, 149, 150, 155,  
 215, 400, 401, 402  
 wheel flat 103, 104  
 wheel irregularities 95  
 wheel load 41, 72, 202  
 wheel out-of-roundness 89, 94, 95,  
 101  
 wheel profile 46, 49, 105, 107, 108,  
 112, 118, 130, 385  
 wheel set 42, 43, 44, 61  
 wheel tread 39, 41, 89, 103, 105  
 wheel unloading 44  
 wheel/rail 40-42, 49, 69, -83, 89, 96,  
 111, 120, 122, 127, 144, 152  
 wheel-rail contact 51, 90, 106, 107,  
 111, 121, 123, 124  
 wheel-rail interface 107, 110, 400  
 whole life 239  
 whole life cost 305  
 Winkler 71, 81, 192

## Y

Young's modulus of elasticity 72  
 youth period 116, 189